

Concrete Masonry Units

Shapes and Dimensions

Woodruff Block Company

495 West Parishville Rd.
Potsdam NY 13676

Phone: 315-265-6200 or 800-721-BLOK

Fax: 315-265-1160

Email: wbc@northnet.org

Web: www.woodruffblock.com



**Manufactured locally at
Woodruff Block Company**

Table of Contents

Plain End	3-4
Stretchers	4-5
Universals	5-6
Solids	6-7
Knock-Out Bond Beams	7-9
Solid Bottom Bond Beams	9
Half Blocks	10
Custom Shapes	11
L-Corners	12
L-Corner Installation Sample	13
2 Hour Fire Rated	14
More Info....	15

MORE INFO.....


- Vertical Bull nose available in Single or Double on most units
- Water repellency units available on all units, when requested
- Insulated units available upon request
- 18" long units available on majority of units

Please call for more information on above items.

Photo currently not available

6" 2 Hour Fire Rated
• Three Core


SPECIAL ORDER



8" 2 Hour Fire Rated

Percent Solid: 53.24 %
Equivalent Thickness: 4.06 Inches


40 Lbs. Per unit
90 per pallet



4" Regular (Plain End)

Percent Solid: 72.31 %
Equivalent Thickness: 2.62 inches


25.5 lbs. Per unit
150 per pallet



6" Regular (Plain End)

Percent Solid: 54.01 %
Equivalent Thickness: 3.04 inches


29.5 lbs. Per unit
120 per pallet



8" Pilaster (Plain End)


Percent Solid: 53.12 %
Equivalent Thickness: 4.05 inches

43 lbs. Per unit
30 per pallet




16 X 16 Pilaster (Plain End)

57 lbs. Per unit
45 per pallet




17 X 17 Chimney (Plain End)

104 Lbs. Per unit
30 per pallet



17 X 21 Chimney (Plain End)


105 Lbs. Per unit
30 per pallet



8" Regular (Stretcher)

Percent Solid: 53.24 %
Equivalent Thickness: 4.06 Inches


40 Lbs. Per unit
90 per pallet



10" Regular (Stretcher)


Percent Solid: 50.4 %
Equivalent Thickness: 4.86 Inches

45.5 Lbs. Per unit
80 per pallet




L-Corner Illustration

- Turning Corner w/ 12" L-Corner




L-Corner Illustration

- Turning Corner w/ Brick & 8" Universal



L-Corner Illustration


- Turning Corner w/ 4" Block



4" L-Corner (Solid)
 • Return Corner

SPECIAL ORDER


34 Lbs. Per unit
 100 per pallet



12" Regular (Stretcher)

Percent Solid: 49.10 %
 Equivalent Thickness: 5.71 inches

53.75 Lbs. Per unit
 65 per pallet



6" L-Corner (Cored)
 • Return Corner


SPECIAL ORDER

51 Lbs. Per unit
 69 per pallet

6" Universal with Breaker & Sash
 • Jamb / Corner

Percent Solid: 54.61 %
 Equivalent Thickness: 3.08 inches

34 Lbs. Per unit
 120 per pallet




10" L-Corner (Cored)
 • Return Corner

51 Lbs. Per unit
 69 per pallet

8" Universal with Breaker & Sash
 • Jamb / Corner

Percent Solid: 54.42 %
 Equivalent Thickness: 4.15 inches

45.25 Lbs. Per unit
 90 per pallet




12" L-Corner (Cored)
 • Return Corner

SPECIAL ORDER

10" Universal with Breaker & Sash
 • Jamb / Corner

Percent Solid: 51.99 %
 Equivalent Thickness: 5.02 inches


53.25 Lbs. Per unit
 80 per pallet



12" Universal with Breaker & Sash
 • Jamb / Corner

61 Lbs. Per unit
 65 per pallet

Concrete Brick (Solid)



Percent Solid: 100 %


4.5 Lbs. Per unit
 700 per pallet

2" Solid

- Soap / Slab / Termite

Percent Solid: 100 %

16 Lbs. Per unit
 240 per pallet



3" Solid

- Soap / Slab / Termite

Percent Solid: 100 %

24 Lbs. Per unit
 180 per pallet





Photo currently
 not available


- 4 x 8 x 15 Custom
- 45 Degrees

SPECIAL ORDER




- 8 X 8 X 16 Custom
- 22.5 Degrees

SPECIAL ORDER



- 8 x 8 x 14 Custom
- Squint Block 135 Degrees


31 Lbs. Per unit
 108 per pallet



- 4 x 8 x 17 Custom
- 24" Diameter Column


SPECIAL ORDER

33 Lbs. Per unit
 130 per pallet




4" Half Block

12 Lbs. Per unit
300 per pallet




6" Half Block

16 Lbs. Per unit
240 per pallet




8" Half Block

18 Lbs. Per unit
150 per pallet



12" Half Block


32 Lbs. Per unit
120 per pallet



4" Solid
• Soap / Slab / Termite

Percent Solid: 100 %


35.5 Lbs. Per unit
120 per pallet



6" Solid
• Soap / Slab / Termite

Percent Solid: 100 %


51 Lbs. Per unit
100 per pallet



8" Solid
• Soap / Slab / Termite

Percent Solid: 100 %


72 Lbs. Per unit
30 per pallet



6" Knock-Out Bond Beam


Percent Solid: 46.83 %
Equivalent Thickness: 4.51 Inches

34 Lbs. Per unit
100 per pallet




8" Knock-Out Bond Beam

40.25 Lbs. Per unit
90 per pallet




10" Knock-Out Bond Beam

44.5 Lbs. Per unit
65 per pallet




12" Knock-Out Bond Beam

51.75 Lbs. Per unit
60 per pallet




6" Utility Knock-Out • Vertical Conduit

34 Lbs. Per unit
100 per pallet




8" Utility Knock-Out • Vertical Conduit

40 Lbs. Per unit
90 per pallet




6" Solid Bottom Bond Beam • Lintel

40.5 Lbs. Per unit
100 per pallet



8" Solid Bottom Bond Beam • Lintel

47 Lbs. Per unit
90 per pallet



12" Solid Bottom Bond Beam • Lintel

68.75 Lbs. Per unit
50 per pallet